

**WEEK 4**  
**25/09/2019**

**18. +Pulvis paracetamoli cum codeino (full dose) FoNo VII.**

(Pulv. paracet. c. codein.)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Codeinium phosphoricum	0.20 g	Codeini phosphas sesquihydricus
Paracetamolium	3.00 g	Paracetamolium

for 10 divided powders

**Labeling:** If necessary, take 1-2 powder, maximum 6 times daily.

**Expiration:** 6 months

**Indication:** Analgeticum.

**19. Pulvis coffacyli (full dose) FoNo VII.**

(Pulv. coffacyl.)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Coffeinum	0.50 g	Coffeinum
Calcium carbonicum	1.00 g	Calcii carbonas
Acidum acetylsalicylicum	5.00 g	Acidum acetylsalicylicum

for 10 divided powders

**Labeling:** In case of pain, take 1 powder maximum 5 times daily.

**Expiration:** 6 months

**Indication:** Analgeticum. Antineuralgicum.

**20. Pulvis chinacialis cum vitamino C FoNo VII.**

(Pulv. chinacisal. c. vit. C)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Chininium sulfuricum	0.15 g	Chinini sulfas
Acidum ascorbicum	1.50 g	Acidum ascorbicum
Acidum acetylsalicylicum	6.00 g	Acidum acetylsalicylicum

for 10 divided powders

**Labeling:** Take 1 powder after meal, 3 times daily.

**Expiration:** 1 month

**Indication:** Antipyreticum. Analgeticum.

## **21. +Pulvis antispasmodoloricus**

(Pulv. antispasmodolor.)

**FoNo VII.**

<b>Name (Ph. Hg. VII.)</b>	<b>full dose</b>	<b>Name (Ph. Hg. VIII.)</b>
Extractum belladonnae siccum	0.40 g	Belladonnae folii extractum siccum normatum
Papaverinium chloratum	0.60 g	Papaverini hydrochloridum
Noraminophenazonum natrium mesylicum	5.00 g	Metamizolum natricum

for 10 divided powders

**Labeling:** In case of spasmolytic pain, take 1 powder maximum 3 times daily.

**Expiration:** 6 months

**Indication:** Analgeticum. Spasmolyticum.

## **22. Capsule calibration**

It will be explain during the lab practice.